

1. Bu X, Wu X, Xie G and **Guo Z** (2002). Synthesis of tyrocidine A and its analogues by spontaneous cyclization in aqueous solution. *Org. Lett.* 4: 2893–2895.
2. Chan ASL, Lai FPL, Lo RKH, Voyno-Yasenetskaya TA, Stanbridge EJ, and **Wong YH** (2002). Melatonin mt1 and MT2 receptors stimulate c-Jun N-terminal kinase via pertussis toxin-sensitive and -insensitive G proteins. *Cell. Signal.* 14: 249-257.
3. Chan KL, New D, Ghandhi S, Wong F, Lam CMC and **Wong JTY** (2002). Transcript levels of the Eukaryotic Initiation Factor 5A gene peak at early G1 phase of the cell cycle in the dinoflagellate *Cryptocodinium cohnii*. *Applied and Envir. Microbiol.* 68: 2278-2284.
4. Chasnov JR and **Chow KL** (2002). Why are there males in the hermaphroditic species *Caenorhabditis elegans*? *Genetics* 160: 983-994
5. Cheng K, Li Z, Fu WY, **Wang JH**, Fu AKY and **Ip NY** (2002). Pctaire-1 interacts with p35 and is a novel substrate for Cdk5. *J. Biol. Chem.* 277: 31988-31993.
6. Ching YP, Pang ASH, Lam WH, **Qi RZ** and **Wang JH** (2002). Identification of a neuronal Cdk5 activator-binding protein as Cdk5 inhibitor. *J. Biol. Chem.* 277(18): 15237-15240.
7. Chu KW and **Chow KL** (2002). Synergistic toxicity of multiple heavy metals is revealed by a biological assay using nematode and its transgenic derivatives. *Aquatic Toxicol.* 61: 53-64.
8. Cui XM, Dong TTX, Chen ZJ and **Tsim KWK** (2002). Identification on *Panax notoginseng* and its adulterants by HPLC fingerprint chromatogram. *Chin. Trad. Herb Drugs.* 33: 941-943.
9. Cui XM, Dong TTX, Chen ZJ, Wang CL and **Tsim KWK** (2002). Studies on the change of polysaccharides in *Panax notoginseng* collected at different times and from regions. *Chin. Pharm. J.* 37: 819-820.
10. Cui XM, Dong TTX, Huang WZ, Chen ZJ and **Tsim KWK** (2002). Determination of flavonoids in *Pana notoginseng*. *Chin. Trad. Herb Drugs.* 33: 611-612.
11. **Dai WM** and Lai KW (2002). Chemistry of aminophenols. Part 3: First synthesis of nitrobenzo[b]furans via a coupling-cyclization approach. *Tetrahedron Lett.* 43: 9377-9380.
12. **Dai WM**, Lai KW, Wu AX, Hamaguchi W, Lee MYH, Zhou L, Ishii A and Nishimoto SI (2002). DNA cleavage potency, cytotoxicity, and mechanism of action of a novel class of enediyne prodrugs. *J. Med. Chem.* 45: 758-761.
13. **Dai WM**, Sun LP and Guo DS (2002). Chemistry of aminophenols. Part 2: A general

and efficient synthesis of indoles possessing a nitrogen substituent at the C4, C5, C6, and C7 positions. *Tetrahedron Lett.* 43: 7699-7702.

14. **Dai WM**, Wu AX and Wu HF (2002). Asymmetric Wittig reactions of chiral arsonium ylides. Part 3: Reversal of stereochemistry caused by metal cation in enantioselective olefination of 4-substituted cyclohexanones using a C_2 -symmetric chiral arsine. *Tetrahedron: Asymmetry*. 13: 2187-2191.
15. **Dai WM**, Yeung KKY, Liu JT, Zhang Y and Williams ID (2002). A novel class of nonbiaryl atropisomeric P,O-ligands for palladium-catalyzed asymmetric allylic alkylation. *Org. Lett.* 4: 1615-1618.
16. Deng Y, Wang J, Lam WH, Pang ASH, Wang X and **Wang JH** (2002). Synthetic peptides in the study of cyclin-dependent kinase5 and neuronal cyclin-dependent kinase5-activator. In: *Peptides – Biology and Chemistry*. Publ. Science Press, Beijing, 152-156.
17. Deng YQ, Zhu ZY, Ma JQ and **Xue H** (2002). Ligand Binding and Structural Properties of the Cys¹⁶⁶-Leu²⁹⁶ Segment of GABA_A Receptor $\alpha 1$ Subunit. *Chin. J. Biochem. Mol. Biol.* 18(3): 367-372.
18. Fan JS and **Zhang MJ** (2002). Signaling complex organization by PDZ domain proteins. *NeuroSignals*. 11: 315-321 (invited review).
19. Fan JS, Zhang Q, Tochio H and **Zhang MJ** (2002). Backbone dynamics of the 8 kDa dynein light chain dimer reveals molecular basis of proteins functional diversity. *J. Biol. Mol. NMR*. 23: 103-114.
20. Feng W, Fan JS, Jian M, Shi YW and **Zhang MJ** (2002). PDZ7 of glutamic receptor interacting protein binds to its target via a novel hydrophobic surface area. *J. Biol. Chem.* 277: 41140-41146.
21. Fu WY, Fu AKY, Lok KC, Ip FCF and **Ip NY** (2002). Induction of Cdk5 activity in rat skeletal muscle after nerve injury. *NeuroReport* 13: 243-247.
22. Fu WY, **Wang JH** and **Ip NY** (2002). Expression of Cdk5 and its activators in NT2 cells during neuronal differentiation. *J. Neurochem.* 81: 646-654.
23. Fung TK, Siu WY, Yam CH, Lau A and **Poon RYC** (2002). Cyclin F is degraded during G2-M by mechanisms fundamentally different to other cyclins. *J. Biol. Chem.* 277: 35140-9.
24. Graeser R, Gannon J, **Poon RYC**, Dubois T, Aitken A and Hunt T (2002). Regulation of the CDK-related protein kinase PCTAIRE-1 and its possible role in neurite outgrowth of neuro2A cells. *J. Cell Science*. 115: 3479-3490.
25. He W, Gong K, **Zhu G**, Smith DK and **Ip NY** (2002). Membrane distal cytokine binding

domain of LIFR interacts with soluble CNTFR *in vitro*. *FEBS Letters* 514: 214-218.

26. Ho MKC, New DC and **Wong YH** (2002). Co-expression of different opioid receptor types differentially modulate their signaling via G₁₆. *NeuroSignals*. 11: 115-122.
27. Ho MKC and **Wong YH** (2002). G protein structure diversity. *Structure and Function of GPCRs in the Nervous System* (M.N. Pangalos & C.H. Davies eds), pp 63-86, Oxford University Press, Oxford.
28. Huang M, Qian F, Hu Y, Ang C, Li Z and **Wen ZL** (2002). The chromatin-remodelling factor BRG1 selectively activates a subset of interferon -inducible genes. *Nat. Cell Biol.* 4: 774-781.
29. Hui KM, Huen MSY, Wang HY, Zheng H, Sigel E, Baur R, Ren H, Li ZW, Wong JTF and **Xue H** (2002). Anxiolytic effect of wogonin, a benzodiazepine receptor ligand isolated from *Scutellaria baicalensis* Georgi. *Biochem. Pharmacol.* 64(9): 1415-1424.
30. **Ip NY** (2002). Cdk5: A new player at the neuromuscular synapse. *NeuroSignals*. 11: 163.
31. Kam KWL, New DC and **Wong YH** (2002). Constitutive activation of the opioid receptor-like (ORL₁) receptor by mutation of Asn¹³³ to tryptophan in the third transmembrane region. *J. Neurochem.* 83: 1461-1470.
32. Kaneko S, Feldman RI, Yu L, **Wu Z**, Gritsko T, Shelley SA, Nicosia SV, Nobori T and Cheng JQ (2002). Positive feedback regulation between Akt2 and MyoD during muscle differentiation: Cloning of Akt2 promoter. *J. Biol. Chem.* 277: 23230-23235.
33. Ko FCF and **Chow KL** (2002). A novel thioredoxin-like protein encoded by *dpy-11* is required for body and sensory organ morphogenesis in *C. elegans*. *Development.* 129:1185-1194.
34. Lai FPL, Mody SM, Yung LY, Kam JYM, Pang CS, Pang SF and **Wong YH** (2002). Molecular determinants for the differential coupling of G_{α16} to the melatonin MT1, MT2 and *Xenopus* Mel1c receptors. *J. Neurochem.* 80: 736-745.
35. Lam SH, Chua HL, Gong Z, **Wen ZL**, Lam TJ and Sin YM (2002). Morphologic transformation of the thymus in developing zebrafish. *Developmental Dynamics* 225: 87-94.
36. Leung KM, Po LS, Tsang FC, Siu WY, Lau A, Ho HTB and **Poon RYC** (2002). The candidate tumor suppressor ING1b can stabilize p53 by disrupting the regulation of p53 by MDM2. *Cancer Res.* 62: 4890-3.
37. Li KKW, Ng IOL, Fan ST, Albrecht JH, Yamashita K and **Poon RYC** (2002). Activation of cyclin-dependent kinases CDC2 and CDK2 in hepatocellular carcinoma.

Liver. 22(3): 259-68.

38. Li SP, Su ZR, Dong TTX and **Tsim KWK** (2002). The fruiting body and its caterpillar host of *Cordyceps sinensis* show close resemblance in main constituents and anti-oxidation activity. *Phytomedicine*. 9: 319-324.
39. Liang F, **Qi RZ** and Chang CF (2002). CD157 undergoes ligand-independent dimerization and colocalizes with caveolin in CHO and MCA102 fibroblasts. *Cell Signal*. 14(11): 933-939.
40. Lim IJ, Phan TT, Bay BH, **Qi RZ**, Huynh H, Tan WT, Lee ST and Longaker MT (2002). Fibroblasts cocultured with keloid keratinocytes: normal fibroblasts secrete collagen in a keloidlike manner. *Am. J. Physiol.-Cell Physiol*. 283(1): C212-222.
41. Lin D, Sze K, Cui Y and **Zhu G** (2002). Clean sea-HSQC: a method to Map Solvent Exposed Amides in Large Proteins with Gradient-enhanced HSQC. *J. Biomol. NMR*. 23:317-322.
42. Liu F and **Wen ZL** (2002). Cloning and expression pattern of the lysozyme C gene in zebrafish. *Mechanisms of Develop*. 113: 69-72.
43. Lowes V, **Ip NY** and **Wong YH** (2002). Integration of signals from receptor tyrosine kinases and G-protein-coupled receptors. *NeuroSignals* 11: 5-19.
44. Ma XQ, Shi Q, Duan JA, Dong TTX and **Tsim KWK** (2002). Chemical analysis of Radix Astragali (Huangqi) in China: a comparison with its adulterants and seasonal variations. *J. Agric. Food Chem*. 50: 4861-4866.
45. Man D, Xia YL, Sze KH, Smith DK, He W, **Ip NY** and **Zhu G** (2002). Complete ¹H, ¹⁵N and ¹³C assignments of the carboxyl terminal domain of the ciliary neurotrophic factor receptor (CNTFR). *J. Biomol. NMR*. 22: 95-96.
46. New DC and **Wong YH** (2002). The ORL₁ receptor: molecular pharmacology and signaling mechanisms. *NeuroSignals*. 11: 197-212.
47. **Peng HB** (2002). Local and global signaling in the formation of the neuromuscular junction. *NeuroSignals*. 11: 163.
48. Phan TT, Lim IJ, Bay BH, **Qi RZ**, Huynh HT, Lee ST and Longaker MT (2002). Differences in collagen production between normal and keloid-derived fibroblasts in serum-media co-culture with keloid-derived keratinocytes. *J. Dermatol. Sci*. 29(1): 26-34.
49. **Poon RYC** (2002). Cell cycle control. In *Encyclopedia of Cancer 2nd Edition*. Ed. Bertino, J.R. Academic Press, San Diego 393-403.

50. Pu YM, Luo KQ and **Chang DC** (2002). A Ca^{2+} signal is found upstream of cytochrome c release during apoptosis in HeLa cells. *Biochem Biophys Res Comm.* 299:762-769.
51. Qu D, Li Q, Lim HY, Cheung NS, Li R, **Wang JH** and **Qi RZ** (2002). Protein SET binds neuronal Cdk5 activator p35^{nck5a} and modulates Cdk5/p35^{nck5a} activity. *J. Biol. Chem.* 277(9): 7324-7332.
52. Shi HF, Tsang SY, Zheng H, Sturgis JN and **Xue H** (2002). Two β -rich structural domains in GABA_A receptor α_1 subunit with different physical properties: evidence for multi-domain nature of the receptor. *Protein Sci.* 11(8): 2052-2058.
53. Simon J, Fillipov AK, Goransson S, **Wong YH**, Frelin C, Michel AD, Brown DA, and Barnard EA (2002). Characterization and channel coupling of the P2Y₁₂ nucleotide receptor of brain capillary endothelial cells. *J. Biol. Chem.* 277: 31390-31400.
54. Siow NL, Choi RC, Cheng AW, Jiang JX, Wan DC, Zhu SQ and **Tsim KWK** (2002). A cyclic AMP-dependent pathway regulates the expression of acetylcholinesterase during myogenic differentiation of C2C12 cells. *J. Biol. Chem.* 277: 36129-36136.
55. Song YC, Wang J, Teng SF, Kesuma D, Deng Y, Duan J, **Wang JH**, **Qi RZ** and Sim MM (2002). β -Carbolines as specific inhibitors of cyclin-dependent kinases. *Bioorg. Med. Chem. Lett.* 12: 1129-1132.
56. Su ZR, Chen JN, Shen XL, Dong TX and **Tsim KWK** (2002). Comments on the change of drug nature and innovation of Chinese patent drugs in the preparing process. *Traditional Chinese Drug Research and Clinical Pharmacology.* 13: 1-4.
57. Su ZR, Huang XD, Dong TX and **Tsim KWK** (2002). The development of TCM formula and patent drugs. *Traditional Chinese Drug Research and Clinical Pharmacology.* 13: 343-345.
58. Su ZR, Liu L, Dong TTX and **Tsim KWK** (2002). The heat-induced degradation of magnolol and honokiol in supercritical fluid CO₂ extraction from *Magnolia* bark. *Acta Pharma. Sinica.* 37: 870-875.
59. Trau D, Lenigk R, Lao AIK, Lee TMH, Hsing IM, **Ip NY**, Carles MC and Sucher N (2002). Genotyping on a complementary metal oxide semiconductor silicon PCR chip with integrated DNA microarray. *Analytical Chem.* 74: 3168-3173.
60. **Tsim KWK** (2002). The role of P2Y nucleotide receptors in the formation and maintenance of vertebrate neuromuscular junctions. *NeuroSignals.* 11: 174.
61. **Tsim KWK** and Barnard EA (2002). The signaling pathways mediated by P2Y nucleotide receptors in the formation and maintenance of the skeletal neuromuscular junction. *NeuroSignals.* 11: 58-64.

62. Urnov FD, **Liang C**, Blitzblau HG, Smith HS and Gerbi SA (2002). A DNase I hypersensitive site flanks an origin of DNA replication and amplification in *Sciara*. *Chromosoma*. 111:291-303.
63. Wang HY, Hui KM, Xu S, Chen Y, Wong JTF and **Xue H** (2002). Two flavones from *Scutellaria baicalensis* Georgi and their binding affinities to the benzodiazepine site of the GABA_A receptor complex. *Pharmazie*. 57(12): 857-8.
64. Wang HY, Hui KM, Chen YJ, Xu SX, Wong JTF and **Xue H** (2002). Structure-Activity Relationships of Flavonoids, Isolated from *Scutellaria baicalensis*, Binding to Benzodiazepine Site of GABA_A Receptor Complex. *Planta Med*. 68: 1059-1062.
65. Wise H, **Wong YH** and Jones RL (2002). Prostanoid signal integration and crosstalk. *NeuroSignals*. 11: 20-28.
66. **Wong YH** (2002). Signal diversification by the neuronal-specific G_z protein. *NeuroSignals*. 11: 170.
67. Wong YM and **Chow KL** (2002). Expression of *Mab21* genes marks the differentiating eye, midbrain and neural tube in developing *Danio rerio*. *Mech. Dev*. 113: 149-152.
68. Wong LY and **Chow KL** (2002). Depletion of *Mab2111* and *Mab2112* messages in mouse embryos arrests axial turning, and impairs notochord and neural tube differentiation. *Teratology* 65: 70-77.
69. **Wu Z** (2002). Transcriptional regulation of myogenin by various intracellular signaling pathways. *NeuroSignals*. 11: 164.
70. Xu Q, Yu L, Liu LY, Cheung CF, Li X, Yee SP, Yang XJ and **Wu Z** (2002). The p38 MAPK, CaMK, and calcineurin-mediated signaling pathways transcriptionally regulate myogenin expression. *Mol. Biol. Cell*. 13: 1940-1952.
71. Yam CH, Fung TK and **Poon RYC** (2002). Cyclin A in cell cycle control and cancer. *Cell. Mol. Life Sci*. 59: 1317-26.
72. **Zhang MJ** (2002). PDZ domain-mediated synaptic signal transduction complex organization. *NeuroSignals*. 11: 164.
73. Zhang YX, Yu ZL, Fu XR and **Liang C** (2002). Noc3p, a bHLH protein, plays an integral role in the initiation of DNA replication in budding yeast. *Cell*, 109: 849-860.