

1. Brown M, Jacobs T, Eickolt B, Ferrari G, Teo M, Monfries C, **Qi RZ**, Leung T, Lim L and Hall C (2004). α_2 -Chimaerin, Cdk5/p35 and its target CRMP-2 are essential components in Sema 3A-induced growth-cone collapse. *J. Neurosci.* 24(41):8994-9004.
2. Bu X, Wu X, Ng NLJ, Mak CK, Qin C and **Guo Z** (2004). Synthesis of gramicidin S and its analogues via an on-resin macrolactamization assisted by a predisposed conformation of the linear precursors. *J. Org. Chem.* 69: 2681–2685.
3. Carles M and **Ip NY** (2004). Use of silicon-based oligonucleotide chip in authentication of toxic Chinese medicine. In: *Herbal medicine: Molecular Basis in Health and Disease Management*, pp. 857-872 (L. Packer, C.N. Ong and B. Halliwell, ed). Invited.
4. Chan ASL and **Wong YH** (2004). Epidermal growth factor differentially augments G_i -mediated stimulation of c-Jun N-terminal kinase activity. *Br. J. Pharmacol.* 142: 635-646.
5. Chan ASL and **Wong YH** (2004). $G\beta\gamma$ signaling and Ca^{2+} mobilization co-operate synergistically in a Sos and Rac-dependent manner in the activation of c-Jun N-terminal kinase by G_q -coupled receptors. *Cell. Signal.* 16: 823-836.
6. Chan WM, Siu WY, Lau A and **Poon RYC** (2004). How many mutant p53 molecules are needed to inactivate a tetramer? *Mol. Cell. Biol.* 24: 3536-51.
7. **Chang DC** (2004). Electroporation and electrofusion. In: *Encyclopedia of Molecular Cell Biology and Molecular Medicine*. (Ed. by R.A. Meyers, Wiley-VCH Publishers, Weinheim, Germany). 4:135-157.
8. Cheng JC, **Miller AL** and Webb SE (2004). The organization and function of microfilaments during epiboly in zebrafish embryos. *Dev. Dyn.* 231: 313-323.
9. Cheung N, So CW, Yam JW, So CK, **Poon RYC**, Jin DY and Chan LC (2004). Subcellular localization of EEN/endophilin A2, a fusion partner gene in leukemia. *Biochem. J.* 383: 27-35.
10. Cheung NS, Choy MS, Halliwell B, Teo TS, Bay BH, Lee AY, **Qi RZ**, Koh VH, Whiteman M, Koay ES, Chiu LL, Zhu HJ, Wong KP, Beart PM and Cheng HC (2004). Lactacystin-induced apoptosis of cultured mouse cortical neurons is associated with accumulation of PTEN in the detergent-resistant membrane fraction. *Cell. Mol. Life Sci.* 61: 1926-1934.
11. Cheung NS, Koh CH, Bay BH, **Qi RZ**, Choy MS, Li QT, Wong KP and Whiteman M (2004). Chronic exposure to U18666A induces apoptosis in cultured murine cortical neurons. *Biochem. Biophys. Res. Commun.* 315: 408-417.
12. Cheung PY, Zhang Y, Long J, Lin S, **Zhang MJ**, Jiang Y and **Wu Z** (2004). $p150^{Glued}$, dynein and microtubules are specifically required for activation of MKK3/6 and p38

MAPKs. *J. Biol. Chem.* 279: 45308-45311. (accelerated publication).

13. Cheung ZH and **Ip NY** (2004). Cdk5: mediator of neuronal death and survival. *Neurosci. Lett.* 361: 47-51. Invited.
14. Chou GX, Dong TTX, **Tsim KWK**, Yu ZL and Wang ZT (2004). Preparation methods for detection of gentiopicrin in *Radix Gentianae*. *Research and Practice of Chinese Medicines.* 18: 38-40.
15. Chu KM, Chow KBS, **Wong YH** and Wise H (2004). Prostacyclin receptor-mediated activation of extracellular signal-regulated kinases 1 and 2. *Cell. Signal.* 16: 477-486.
16. **Chung KK** and Dawson TM (2004). Parkin and HSP70 sacked by BAG5. *Neuron.* 44: 899-901.
17. **Chung KK**, Thomas B, Li X, Pletnikova O, Troncoso JC, Marsh L, Dawson VL and Dawson TM (2004). S-nitrosylation of parkin regulates ubiquitination and compromises parkin's protective function. *Science.* 304(5675): 1328-31.
18. **Dai WM**, Tachi Y, Nishimoto SI, Zhong XF and **Guo ZH** (2004). Synthesis and cytotoxicity of enediyne prodrugs with 3-Hydroxy-4-(arylmethylidene) -cyclodeca-1,5-diyne scaffolds. *Lett. Drug Des. Discov.* 1: 69-72.
19. **Dai WM**, Yeung KKY and Wang YQ (2004). The first example of atropisomeric amide-derived P,O-ligabds used for an asymmetric heck reaction. *Tetrahedron.* 60: 4425-4430.
20. **Dai WM**, Zhang Y and Zhang Y (2004). Synthesis of atropisomeric 2,8-dioxygenated *N,N*-diisopropyl-1-naphthamides via kinetic resolution under the sharpless asymmetry dihydroxylation conditions. *Tetrahedron: Asymmetry.* 15: 525-535.
21. Feng W, Long J, Fan JS, Tetsuya S and **Zhang MJ** (2004). The tetrameric L27 domain complex as an organization platform for supramolecular assemblies. *Nat. Struct. & Mol. Biol.* 11: 475-480.
22. Fu AKY, Fu WY, Ng AKY, Chien WWY, Ng YP, **Wang J** and **Ip NY** (2004). Cyclin-dependent kinase 5 phosphorylates STAT3 and regulates its transcriptional activity. *Proc. Natl. Acad. Sci. USA* 101: 6728-6733.
23. Hazari A, Lowes V, Chan JHP, Wong CSS, Ho MKC, and **Wong YH** (2004). Replacement of the $\alpha 5$ helix of $G\alpha_{16}$ with $G\alpha_s$ -specific sequences enhances promiscuity of $G\alpha_{16}$ toward G_s -coupled receptors. *Cell. Signal.* 16: 51-62.
24. Ho MKC, Chan JHP, Wong CSS and **Wong YH** (2004). Identification of a stretch of six divergent amino acids on the $\alpha 5$ helix of $G\alpha_{16}$ as a major determinant for the promiscuity and efficiency of receptor coupling. *Biochem. J.* 380: 361-369.

25. **Huang P**, Gilmore E, Kultgen P, Barnes P, Migram SL and Stutts MJ (2004). Local regulation of cystic fibrosis transmembrane regulator and epithelial sodium channel in airway epithelium. *Proc Am Thorac Soc.* 1: 33-37.
26. Kam AYE, Chan ASL and **Wong YH** (2004). κ -opioid receptor signals through Src and focal adhesion kinase to c-Jun N-terminal kinases in transfected COS-7 cells and human monocytic THP-1 cells. *J. Pharmacol. Exp. Therapeu.* 310: 301-310.
27. Kam AYE, Chan ASL and **Wong YH** (2004). Phosphatidylinositol-3 kinase is distinctively required for μ - but not κ -opioid receptor-induced activation of c-Jun N-terminal kinase. *J. Neurochem.* 89: 391-402
28. Lai KO, Chen Y, Po HM, Lok KC, Gong K and **Ip NY** (2004). Identification of the Jak/Stat proteins as novel downstream targets of EphA4 signaling in muscle: implications in the regulation of acetylcholinesterase expression. *J. Biol. Chem.* 279: 13383-13392.
29. Lao SC, Li SP, Kan KKW, Li P, Wan JB, Wang YT, Dong TTX and **Tsim KWK** (2004). Identification and quantification of 13 components in *Angelica sinensis* (Danggui) by gas chromatography-mass spectrometry coupled with pressurized liquid extraction. *Analytica Chimica Acta.* 526: 131-137.
30. Lee HHC, Choi RCY, Ting AKL, Siow NL, Jiang JXS, Massoulié J and **Tsim KWK** (2004). Transcriptional regulation of acetylcholinesterase-associated collagen ColQ: differential expression in fast- and slow-twitch muscle fibers is driven by distinct promoters. *J. Biol. Chem.* 279: 27098-27107.
31. Lee KW, Ho SM, Wong CH, Webb SE and **Miller AL** (2004). Characterization of Mid-Spindle Microtubules during Furrow Positioning in Early Cleavage Period Zebrafish Embryos. *Zygote.* 12:221-230.
32. Li SP and **Tsim KWK** (2004). The biological and pharmacological properties of *Cordyceps sinensis*, a traditional Chinese medicine, that has broad clinical applications. In: *Herbal Medicines: Molecular Basis of Biological Activity and Health*. Packer *et al.* ed. Marcel Dekker Inc. New York.
33. Li SP, Li P, Lai CM, Gong YX, Kan KKW, Dong TTX, **Tsim KWK** and Wang YT (2004). Simultaneous determination of ergosterol nucleosides and their bases from nature and cultured *Cordyceps* by pressurized liquid extraction and high-performance liquid chromatography. *J. Chromatogr. A* 1036: 239-243.
34. Li SP, Song ZH, Dong TTX, Lo CK, Zhu SQ and **Tsim KWK** (2004). Distinction of water-soluble constituents from natural and cultured *Cordyceps* mycelia by capillary electrophoresis. *Phytomedicine.* 11: 684-690.

35. Li Z, David G, Hung KW, DePinho RA, Fu AKY and **Ip NY** (2004). Cdk5/p35 phosphorylates mSds3 and regulates mSds3-mediated repression of transcription. *J. Biol. Chem.* 279: 54438-54444.
36. Lim ACB, Hou Z, Goh CP and **Qi RZ** (2004). Protein kinase CK2 is an inhibitor of the neuronal Cdk5 kinase. *J. Biol. Chem.* 279(45):46668-46673.
37. Lim ACB, Tiu SY, Li Q and **Qi RZ** (2004). Direct regulation of microtubule dynamics by protein kinase CK2. *J. Biol. Chem.* 279(6): 4433-4439.
38. Ling KKY, Siow NL, Choi RCY, Ting AKL, Kong LW and **Tsim KWK** (2004). ATP potentiates agrin-induced AChR aggregation in cultured myotubes: activation of RhoA in P2Y₁ nucleotide receptor signaling at vertebrate neuromuscular junctions. *J. Biol. Chem.* 279: 31081-31088.
39. Liu AMF and **Wong YH** (2004). Activation of nuclear factor κ B by the G₁₆-coupled adenosine A₁ receptor involves c-Src, PKC and ERK signaling. *J. Biol. Chem.* 279: 53196-53204.
40. Lo RKH and **Wong YH** (2004). Signal transducer and activator of transcription 3 activation by the δ -opioid receptor via G α_{14} involves multiple intermediates. *Mol. Pharmacol.* 65: 1427-1439.
41. Lo WS, Lau CF, Xuan Z, Chan A, Feng GY, He L, Cao ZC, Liu H, Luan QM and **Xue H** (2004). Association of SNPs and haplotypes in GABA_A receptor β_2 gene with schizophrenia. *Mol Psychiatry* 9: 603-608.
42. Luo KQ and **Chang DC** (2004). The gene-silencing efficiency of siRNA is strongly dependent on the local structure of mRNA at the targeted region. *Biochem Biophys Res Comm.* 318:303-310.
43. New DC and **Wong YH** (2004). Characterization of CHO cells stably expressing a G $\alpha_{16/z}$ chimera for high-throughput assays. *Assay Drug Dev. Tech.* 2: 269-280.
44. Ng CP, Lee HC, Ho CW, Arooz T, Siu WY, Lau A and **Poon RYC** (2004). Differential mode of regulation of the checkpoint kinases CHK1 and CHK2 by their regulatory domains. *J. Biol. Chem.* 279: 8808-19.
45. Okada SF, O'Neal WK, **Huang P**, Nicholas RA, Ostrowski LE, Craigen WJ, Lazarowski ER and Boucher RC (2004). Voltage-dependent anion channel-1 (VDAC-1) contributes to ATP release and cell volume regulation in murine cells. *J Gen Physiol.* 124: 513-526.
46. Pan Q, Ip FCF, **Ip NY**, Zhu HX and Min ZD (2004). Activity of macrocyclic jatrophone diterpenes from *Euphorbia kansui* in a TrkA fibroblast survival assay. *J. Nat. Prod.* 67: 1548-1551.

47. Pi R, Li W, Lee NT, Chan HH, Pu Y, Chan LN, Sucher NJ, **Chang DC**, Li M and Han YF (2004). Minocycline prevents glutamate-induced apoptosis of cerebellar granule neurons by differential regulation of p38 and Akt pathways. *J. Neurochem.* 91(5): 1219-30.
48. **Qi RZ**, Ching YP, Kung HF and **Wang JH** (2004). α -Chimaerin exists in a functional complex with the Cdk5 kinase in brain. *FEBS Lett.* 561(1-3): 177-180.
49. Qin C, Bu X, Zhang X, Ng NLJ and **Guo Z** (2004). Optimization of antibacterial cyclic decapeptides. *J. Comb. Chem.* 6:398-406.
50. Romorini S, Piccoli G, Jiang M, Grossano P, Tonna N, Passafaro M, **Zhang MJ** and Sala C (2004). A functional role of PSD-95/GKAP complex in regulating Shank assembly and stability to synapses. *J. Neurosci.* 24: 9391-9404.
51. Rui Y, Xu Z, Lin SY, Li QX, Rui HL, Luo W, Zhou HM, Cheung PY, **Wu Z**, Ye ZY, Li P, Han JHM and Lin SC (2004). Axin stimulates p53 functions by activation of HIPK2 kinase through multimeric complex formation. *EMBO J.* 23: 4583-94.
52. Song Y, Kesuma D, Wang J, Deng Y, Duan J, **Wang JH** and **Qi RZ** (2004). Specific inhibition of cyclin-dependent kinases and cell proliferation by harmine. *Biochem. Biophys. Res. Commun.* 317(1):128-132.
53. Siu WY, Lau A, Arooz T, Chow JPH, Ho HTB and **Poon RYC** (2004). Topoisomerase poisons differentially activate DNA damage checkpoints through ataxia-telangiectasia mutated-dependent and -independent mechanisms. *Mol. Cancer Therap.* 3: 621-32.
54. Song Y, Kesuma D, Wang J, Deng Y, Duan J, **Wang JH** and **Qi RZ** (2004). Specific inhibition of cyclin-dependent kinases and cell proliferation by harmine. *Biochem. Biophys. Res. Commun.* 317(1): 128-132.
55. Song ZH, Lo CK, Dong TTX, Li OTW, Ji ZN, Haines CJ, Kung SD and **Tsim KWK** (2004). Chemical and biological assessment of a traditional Chinese herbal decoction prepared from Radix Astragali and Radix Angelica Sinensis: orthogonal array design to optimize the extraction of chemical constituents. *Planta Medica.* 70: 1222-1227.
56. Sun L, Liu L, Yang XJ and **Wu Z** (2004). Akt binds Prohibitin 2 and relieves its repression on MyoD and muscle differentiation. *J. Cell. Sci.* 117:3021-3029. (featured in the editorial highlights).
57. Sun LP, Huang XH and **Dai WM** (2004). Stepwise and One-Pot Coupling-Heteroannulation Approach toward 2-Substituted C4-Aminoindoles and C5-, C6-, and C7-Nitroindoles. *Tetrahedron.* 60: 10983-10992.
58. Tang W, Sun X, Fang JS, **Zhang MJ** and Sucher NJ (2004). Flavonoids from *Radix Scutellariae* as potential stroke therapeutic agents by targeting the second postsynaptic

- density 95 (PSD-95)/disc large/zonula occludens-1(PDZ) domain of PSD-95. *Phytomed.* 11: 277-284.
59. Tian YJ, New DC, Yung LY, Allen RA, Slocombe PM, Twomey BM, Lee MMK and **Wong YH** (2004). Differential chemokine activation of CCR1-regulated pathways: selective activation of $G\alpha_{14}$ -coupled pathways. *Eur. J. Immunol.* 34: 785-795.
 60. Tsang SY and **Xue H** (2004). Development of effective therapeutics targeting the $GABA_A$ receptor: naturally occurring alternatives. *Current Pharm. Design.* 10(9):1035-1044.
 61. **Tsim KWK** and Kung SD (2004). Modernization of traditional Chinese medicine: problems in safety and quality assurance. *Vision of 2050: Agriculture in China*. Edited by Tso *et al.* New York.
 62. **Tsim KWK**, Choi RCY, Siow NL, Cheng AWM, Ling KKY, Tung EKK, Kong LW and Barnard EA (2004). The role of $P2Y_1$ nucleotide receptors in the formation and maintenance of the skeletal neuromuscular junctions. In: *Cholinergic Mechanisms*. A. Fisher and H. Soreq eds. Martin Dunitz, London.
 63. Tung EKK, Choi RCY, Siow NL, Jiang JXS, Ling KKY, Simon J, Barnard EA and **Tsim KWK** (2004). $P2Y_2$ receptor activation regulates the expression of acetylcholinesterase and acetylcholine receptor genes at vertebrate neuromuscular junction. *Mol. Pharmacol.* 66(4): 794-806.
 64. Wan J, Sun L, Mendoza JW, Chui YL, Huang DP, Chen ZJ, Suzuki N, Suzuki S, Yeh WC, Akira S, Matsumoto K, Liu ZG and **Wu Z** (2004). Elucidation of the JNK pathway mediated by Epstein-Barr virus encoded latent membrane protein 1. *Mol. Cell Biol.* 24:192-199.
 65. Wang YD, Sin WY, Xu GB, Yang HH, Wong TY, Pang XW, He XY, Zhang HG, Ng NLJ, Cheng CSS, Yu J, Meng L, Yang RF, Lai ST, **Guo Z**, Xie Y, Chen WF (2004). T cell epitopes in severe acute respiratory syndrome (SARS)-CoV virus spike protein elicit specific T cell immune response in recovered SARS patients. *J. Virol.* 78: 5612–5618.
 66. Wen CM, Zhang ZH, Ma WP, Xu M, **Wen ZL** and Peng JR (2004). Genome-wide identification of demal-enriched genes in zebrafish. *Develop. Dynamics.* 232: 171-179.
 67. Woo RA and **Poon RYC** (2004). Activated oncogenes promote and cooperate with chromosomal instability for neoplastic transformation. *Gene Dev.* 18:1317-30.
 68. Woo RA and **Poon RYC** (2004). Gene mutations and aneuploidy: the instability that causes cancer. *Cell Cycle.* 3: 1101-3.

69. Wu JL, Wu HF, Wei SY and **Dai WM** (2004). Highly regioselective wittig reactions of cyclic ketones with a stabilized phosphorus ylide under controlled microwave heating. *Tetrahedron Lett.* 45: 4401-4404.
70. Xu C, Xu, K, Gu H, Zheng R, Liu H, Zhang X, **Guo Z** and Xu B (2004). Dopamine as a robust anchor to immobilize functional molecules on the iron oxide shell of magnetic nanoparticles. *J. Am. Chem. Soc.* 126:9938–9939.
71. Xu X, Xu K, Gu H, Zhong X, **Guo Z**, Zheng R, Zhang X and Xu B (2004). Nitrilotriacetic acid modified magnetic nanoparticles as a general agent to bind histidine-tagged proteins. *J. Am. Chem. Soc.* 126: 3392–3393.
72. Yu JCH, Min ZD and **Ip NY** (2004). *Melia toosendan* regulates PC12 cell differentiation via the activation of a PKA-dependent ERK signaling pathway. *NeuroSignals* 13: 248-257.
73. Yu YY, Chen Y, Dai G, Chen J, Sun XM, Wen CJ, Zhao DH, **Chang DC** and Li CJ (2004). The association of calmodulin with central spindle regulates the initiation of cytokinesis in HeLa cells. *Int. J. Biochem. Cell Biol.* 36(8): 1562-72.
74. Yu ZL, Feng DR and **Liang C** (2004). Pairwise Interactions of the Six Human MCM Protein Subunits. *J. Mol. Biol.* 340:1197-1206.
75. Yuen JWF, So IYW, Kam AYF and **Wong YH** (2004). Regulation of signal transducer and activator of transcription 3 by μ -opioid receptors in human neuroblastoma SH-SY5Y cells. *NeuroReport.* 15: 1431-1435.
76. Zhang X, Choi R, **Tsim KWK** and Wan DC (2004). Cloning and characterization of the acetylcholinesterase gene in the chicken. In: *Cholinergic Mechanisms.* 757-760. A. Fisher and H. Soreq eds. Martin Dunitz, London.
77. Zhang Y, Yang ZM, Yuan F, Gu HW, Gao P and **Xu B** (2004). Molecular recognition remodels the self-assembly of hydrogelators and increases the elasticity of the hydrogel by 10⁶-Fold" *J. Am. Chem. Soc.* 126: 15028-15029.
78. Zhu Y, Stolz DB, Guo F, Ross MA, Watkins SC, Tan BJ, **Qi RZ**, Manser E, Li QT, Bay BH, Teo TS and Duan W (2004). Signaling via a novel integral plasma membrane pool of a serine/threonine protein kinase PRK1 in mammalian cells. *FASEB J.* 18: 1722-1724.