

1. Bartoe J, McKenna WL, Quan TK, Stafford BK, Moore JA, **Xia J**, Takamiya K, Haganir RL and Hinck L (2006). PICK1/PKCa-mediated Endocytosis Converts Netrin-1-Mediated Repulsion to Attraction. *J. Neurosci.* 26(12):3192-3205.
2. Chan ASL, Pang H, Yip ECH, Tam YK and **Wong YH** (2006). The aqueous extract of *Radix Glycyrrhizae* stimulates mitogen-activated protein kinases and nuclear factor- $\kappa$ B in Jurkat T-cells and monocytic THP-1 cells. *Am. J. Chin. Med.* 34: 263-278.
3. Chan ASL, Yip ECH, Yung LY, Pang H, Luk SCW, Pang SF and **Wong YH** (2006). CKBM stimulates MAPKs but inhibits LPS-induced INF- $\gamma$  production in lymphocytes. *Phytotherapy Res.* 20: 725-731.
4. Chan WM, Mak MC, Fung TK, Lau A, Siu WY and **Poon RYC** (2006). Ubiquitination of p53 at multiple sites in the DNA binding domain. *Mol. Cancer Res.* 4: 15-25.
5. Chen Y, Jin J, Wu JL and **Dai WM** (2006). A New Synthesis of Tetrahydrofuran Fragment of Amphidinolides X and Y. *Synlett.* 1177-1180.
6. Cheung ZH, Fu AKY and **Ip NY** (2006). Recent advances in the synaptic roles of Cdk5: implications in higher cognitive functions and neurodegenerative diseases. *Neuron* 50: 13-18.
7. Cheung CY, Webb SE, Meng A and **Miller AL** (2006). Transient expression of apoaeguorin in zebrafish embryos: extending the ability to image calcium transients during later stages of development. *Int. J. Dev. Biol.* 50:561-569.
8. **Dai WM**, Zhang Y and Wang YQ (2006). Efficient remote axial-to-central chirality transfer in enantioselective SmI<sub>2</sub>-mediated reductive coupling of aldehydes with crotonates of atropisomeric 1-Naphthamides. *J. Org. Chem.* 71: 2445-2455.
9. Dodd A, Greenwood DR, **Miller AL**, Webb SE, Chambers SP, Copp BR and Love DR (2006). Zebrafish: At the nexus of functional and chemical genomics. *Biotech. Gen. Eng. Rev.* Volume 22: 77-99.
10. Dong TTX, Zhao KJ, Gao QT, Ji ZN, Zhu TT, Li J, Duan R, Cheung AWH and **Tsim KWK** (2006). Chemical and biological assessment of a Chinese herbal decoction containing Radix Astragali and Radix Angelicae Sinensis: determination of drug ratio in having optimized properties. *J. Agric. Food Chem.* 54(7): 2767-2774.
11. Feng GF, Wu JL and **Dai WM** (2006). One-pot regioselective annulation toward 3,4-Dihydro-3-oxo-2H-1,4-benzoxazine scaffolds under controlled microwave heating: *Tetrahedron.* 62: 4635-4642.
12. Foulk MS, **Liang C**, Wu N, Blitzblau HG, Smith H, Alam D, Batra M and Gerbi SA (2006). Ecdysone induces transcription and amplification in *Sciara coprophila* DNA puff II/9A. *Dev Biol.* 299:151-163.

13. Fu HJ, Li WM, Lao YZ, Luo JL, Lee NTK, Kan KW, Tsang HW, **Tsim KWK**, Pang YP, Li ZW, **Chang DC**, Li MT and Han YF (2006). Bis(7)-tacrine attenuates  $\beta$  amyloid-induced neuronal apoptosis by regulating L-type calcium channels. *J. of Neurochem.* 98: 1400-1410.
14. Fu X, Choi YK, Qu D, Yu Y, Cheung NS and **Qi RZ** (2006). Identification of nuclear import mechanisms for the neuronal Cdk5 activator. *J. Biol. Chem.* 281(51):39014-39021.
15. Fujii K, Maeda K, Hikida T, Mustafa AK, Balkissoon R, **Xia J**, Yamada T, Kawahara R, Okawa M, Haganir RL, Ujike H, Snyder SH and Sawa A (2006). Serine racemase binds to PICK1: Potential relevance to schizophrenia. *Mol. Psychiatry.* 11(2):150-7.
16. Gao QT, Cheung JKH, Li J, Chu GKY, Duan R, Cheung AWH, Zhao KJ, Dong TTX and **Tsim KWK** (2006). A Chinese herbal decoction prepared from Radix Astragali and Radix Angelicae Sinensis stimulates the immune responses. *Planta Medica.* 72:1227-1231.
17. Ho CC, Siu WY, Lau A, Chan WM, Arooz T and **Poon RYC** (2006). Stalled replication induces p53 accumulation through distinct mechanisms from DNA damage checkpoint pathways. *Cancer Res.* 66: 2233-41.
18. Haruna KI, Kanezaki H, Tanabe K, **Dai WM** and Nishimoto SI (2006). Effects of structural modification on the DNA binding properties and photo-induced cleavage reactivity of propargylic sulfones conjugated with an anthraquinone structure. *Bioorg. Med. Chem.* 14: 4427-4432.
19. Hau PM, Siu WY, Wong N, Lai PBS and **Poon RYC** (2006). Polyploidization increases the sensitivity to DNA-damaging agents in mammalian cells. *FEBS Letters.* 580: 4727-36.
20. Ho CC, Siu WY, Lau A, Chan WM, Arooz T and **Poon RYC** (2006). Stalled replication induces p53 accumulation through distinct mechanisms from DNA damage checkpoint pathways. *Cancer Res.* 66: 2233-41.
21. Ji ZN, Dong TTX, Ye WC, Choi RYC, Lo CK and **Tsim KWK** (2006). Ginsenoside Re attenuates  $\beta$ -amyloid and serum-free induced neurotoxicity in PC12 cells. *J. Ethnopharmacol.* 107: 48-52.
22. Jin H, Xu J, Qian F, Du LS, Tan CY, Lin ZX, Peng JR and **Wen ZL** (2006). The 5' zebrafish *scl* promoter targets transcription to the brain, spinal cord, hematopoietic and endothelial progenitors. *Developmental Dynamics.* 235: 60-67.

23. Jin W, Ge W, Xu J, Cao M, Peng L, Yung W, Liao D, Duan S, **Zhang M** and **Xia J** (2006). Lipid binding regulates PICK1's synaptic targeting, AMPA receptor trafficking and synaptic plasticity. *J. Neurosci.* 26(9):2380-2390.
24. Koh CHV, **Qi RZ**, Qu D, Melendez A, Manikandan J, Bay BH, Duan W and Cheung NS (2006). U18666A-mediated apoptosis in cultured murine cortical neurons: role of caspases, calpains and kinases. *Cell. Signal.* 18(10): 1572-1583.
25. Leclerc C, Néant I, Webb SE, **Miller AL** and Moreau M (2006). Calcium transients and calcium signalling during early neurogenesis in the amphibian embryo *Xenopus laevis*. *Biochim. Biophys. Acta.* 1763:1184-1191.
26. Lee CW and **Peng HB** (2006). Mitochondrial clustering at the vertebrate neuromuscular junction during presynaptic differentiation. *J. Neurobiol.* 66: 522-536.
27. Lee KW, Webb SE and **Miller AL** (2006). Requirement for a localized, IP<sub>3</sub>R-generated Ca<sup>2+</sup> transient during the furrow positioning process in zebrafish zygotes. *Zygote.* 14:143-155.
28. Li SP and **Tsim KWK** (2006). Quality control of *Cordyceps sinensis*, a valued traditional Chinese medicine. In: *Recent Progress in Medicinal Plants*. Govil ed. Studium Press LLC, USA.
29. Li SP, Yang FQ and **Tsim KWK** (2006). Quality control of *Cordyceps sinensis*, a valued traditional Chinese medicine. *J. Pharm. Biomed. Anal.* 41: 1571-1584.
30. Li SP, Zhang GH, Zeng Q, Huang ZG, Wang YT, Dong TTX and **Tsim KWK** (2006). Hypoglycemic activity of polysaccharide, with antioxidation, isolated from cultured *Cordyceps mycelia*. *Phytomedicine.* 13(6): 428-433.
31. Li WM, Lee NTK, Fu HJ, Kan KKW, Pang YP, Li MT, **Tsim KWK**, Li XY and **Han YF** (2006). Neuroprotection via inhibition of nitric oxide synthase by bis(7)-tacrine. *NeuroReport.* 17(5): 471-474.
32. Li WM, Webb SE, Lee KW and **Miller AL** (2006). Recruitment and SNARE-mediated fusion of vesicles in furrow membrane remodeling during cytokinesis in zebrafish embryos. *Exp. Cell. Res.* 312(17): 3260-75.
33. Liu AMF, Lo RKH, Wong CSS, Morris C, Wise H and **Wong YH** (2006). Activation of STAT3 by Gα<sub>s</sub> distinctively requires PKA, JNK, and PI3K. *J. Biol. Chem.* 281: 35812-35825.
34. Liu Y, Cheng K, Ke G, Fu AKY and **Ip NY** (2006). Pctaire1 phosphorylates N-Ethylmaleimide-sensitive fusion protein: implications in the regulation of its hexamerization and exocytosis. *J. Biol. Chem.* 281: 9852-9858.

35. Liu X, Pan Q, Shi Y, Williams ID, Sung HH, Zhang Q, Liang J, **Ip NY** and Min Z (2006). *Ent*-Rosane and labdane diterpenoids from *Sagittaria sagittifolia* and their antibacterial activity against three oral pathogens. *J. Nat. Prod.* 69: 255-260.
36. Lo RKH, Wise H and **Wong YH** (2006). Prostacyclin receptor induces STAT1 and STAT3 phosphorylations in human erythroleukemia cells: a mechanism requiring PTX-insensitive G proteins, ERK and JNK. *Cell. Signal.* 18: 307-317.
37. Lo RKH and **Wong YH** (2006). Transcriptional activation of c-Fos by constitutively active G $\alpha_{16}$ QL through a STAT1-dependent pathway. *Cell. Signal.* 18: 2143-2153.
38. Madhavan R, Zhao XT, Reynolds AB and **Peng HB** (2006). The involvement of p120 catenin in myopodial assembly and nerve-muscle synapse formation. *J. Neurobiol.* 66:1511-1527.
39. Mak CKM, Yeung PKK, **Wong YH** and **Wong JTY** (2006). Cell-based fluorimetric assays for monitoring *Gambierdiscus* toxins. In: *Key Research Findings to Harmful Algal Blooms in the South China Sea* (Ho KC, Lu SH, Wang Y and Chen JF eds.), pp. 1-5.
40. Mak DHF, Chiu PY, Dong TXX, **Tsim KWK** and Ko KM (2006). Dang-Gui Buxue Tang produces a more potent cardioprotective effects than its component herb extracts and enhances glutathione status in rat heart mitochondria and erythrocytes. *Phytotherapy Research.* 20(7): 561-567.
41. Mi Y, Chan Y, Trau D, **Huang P** and Chen E (2006). Micromolding of PDMS scaffolds and microwells for tissue culture and cell patterning: A new method of microfabrication by the self-assembled micropatterns of diblock copolymer micelles. *Polymer.* 47:5124-5130.
42. Montaville P, Dai Y, Cheung C, Giller K, Becker S, Michalak M, Webb SE, **Miller AL** and Krebs J (2006). Nuclear translocation of the calcium-binding protein ALG-2 induced by the RNA-binding protein RBM22. *Biochim. Biophys. Acta.* 1763:1335-1343.
43. New DC, An H, **Ip NY** and **Wong YH** (2006). GABA<sub>B</sub> heterodimeric receptors promote Ca<sup>2+</sup> influx via store-operated channels in transfected rat cortical neurons and transfected CHO cells. *Neuroscience* 137: 1347-1358.
44. Ng YP, Lo KY, Cheung ZH and **Ip NY** (2006). Signaling through the neurotrophin receptors in the nervous system. *Handbook of Neurochemistry.* 2:12-32. Invited review.
45. Ng YP, Cheung ZH and **Ip NY** (2006). STAT3 as a downstream mediator of Trk signaling and functions. *J. Biol. Chem.* 281: 15636-15644.

46. Ng SK and **Xue H** (2006). Alu-Associated Enhancement of Single Nucleotide Polymorphisms in the Human Genome. *Gene*. 368: 110-116
47. Steinberg JP, Takamiya K, Shen Y, **Xia J**, Rubio ME, Yu S, Jin W, Thomas GM, Linden DJ and Huganir RL (2006). Targeted in vivo mutations of the AMPA receptor subunit GluR2 and its interacting protein PICK1 eliminate cerebellar long-term depression. *Neuron* 49(6):845-860.
48. Sun LP and **Dai WM** (2006). An engineered linker capable of promoting on-resin reactions for microwave-assisted solid-phase organic synthesis. *Angew. Chem. Int. Ed.* 45: 7255–7258.
49. Tachi Y, **Dai WM**, Tanabe K and Nishimoto SI (2006). Synthesis and DNA cleavage reaction characteristics of enediyne prodrugs activated via an allylic rearrangement by base or UV irradiation. *Bioorg. Med. Chem.* 14: 3199-3209.
50. Tong H, Hong YN, Dong YQ, Huassler M, Lam JWY, Li Z, Guo ZF, **Guo Z** and Tang BZ (2006). Fluorescent "light-up" bioprobes based on tetraphenylethylene derivatives with aggregation-induced emission characteristics. *Chem. Commun.* 35:3705–3707.
51. **Tsim KWK**, Xie HQ, Ting AK, Siow NL, Ling KK and Kong LW (2006). Transcriptional control of different acetylcholinesterase subunits in formation and maintenance of vertebrate neuromuscular junctions. *J. Mol. Neurosci.* 30:189-192.
52. Tso PH and **Wong YH** (2006). Opioid receptor-like (ORL<sub>1</sub>) receptor utilizes both G<sub>oA</sub> and G<sub>oB</sub> for signal transduction. *Protein Peptide Letts.* 13: 437-441.
53. Wan DCC, Zhang X, Siow NL, Xie HQ and **Tsim KWK** (2006). Chick acetylcholinesterase promoter regulation. *J. Mol. Neurosci.* 30:33-34
54. Wan J, Zhang W, Wu L, Bai T, Zhang MJ, Lo KW, Chui YL, Cui Y, Tao Q, Yamamoto M, Akira S and **Wu Z** (2006). BS69, a specific adaptor in the latent membrane protein 1-mediated cJun N-terminal kinase pathway. *Mol. Cell. Biol.* 26:448-456.
55. Webb SE and **Miller AL** (2006). Ca<sup>2+</sup> signaling and early embryonic patterning during the Blastula and Gastrula Periods of Zebrafish and *Xenopus* development. *Biochim. Biophys. Acta.* 1763: 1192-1208.
56. Webb SE and **Miller AL** (2006). Ca<sup>2+</sup> signaling during vertebrate somitogenesis. *Acta Pharmacol. Sin.* 27:781-790.
57. Wen W, Wang W and **Zhang MJ** (2006). Targeting PDZ domain proteins for treating NMDA receptor-mediated excitotoxicity. *Curr. Top. Med. Chem.* 6: 711-721.

58. Wen W, Yan J and **Zhang MJ** (2006). Structural characterization of the split PH domain in phospholipase C- $\gamma$ 1 and its interaction with TRPC3. *J. Biol. Chem.* 281: 12060-12068.
59. Wu L, Nakano H and **Wu Z** (2006). The C-terminal Activating Region 2 of the Epstein-Barr Virus-encoded Latent Membrane Protein 1 Activates NF- $\kappa$ B through TRAF6 and TAK1. *J. Biol. Chem.* 281:2162-2169.
60. Wu EHT, Tam BHL, and **Wong YH** (2006). Constitutively active  $\alpha$  subunits of G<sub>q/11</sub> and G<sub>12/13</sub> families inhibit activation of the pro-survival Akt signaling cascade. *FEBS J.* 273: 2388-2398.
61. Wu EHT and **Wong YH** (2006). Activation of muscarinic M<sub>4</sub> receptor augments NGF-induced pro-survival Akt signaling in PC12 cells. *Cell. Signal.* 18: 285-293.
62. Wu JL, Sun LJ and **Dai WM** (2006). Microwave-Assisted Tandem Wittig–Intramolecular Diels-Alder Cycloaddition. Product Distribution and Stereochemical Assignment. *Tetrahedron.* 62: 8360-8372.
63. Wu L, Nakano H and **Wu Z** (2006). The C-terminal activating region 2 of the epstein-barr virus-encoded latent membrane protein 1 activates NF- $\kappa$ B through TRAF6 and TAK1. *J. Biol. Chem.* 281:2162-2169.
64. Wu XM, Dai H, Huang LX, Gao XM, **Tsim KWK** and Tu PF (2006). A fructan, from Radix Ophiopogonis, stimulates the proliferation of cultured lymphocytes: structural and functional analyses. *J. Nat. Prod.* 69: 1257-1260.
65. Xia Q, Dong TTX, **Tsim KWK**, Huang Z and Zhang P (2006). HPLC-ELSD determination of platycodin E in Radix Platcodonis of different sources. *Chin. J. Pharm. Anal.* 26: 637-639.
66. Xing XL, Wu JL, Feng GF and **Dai WM** (2006). Microwave-Assisted One-Pot Ugi-4CR and Intramolecular O-Alkylation toward Heterocyclic Scaffolds. *Tetrahedron.* 62: 6774-6781.
67. Xing XL, Wu JL, Luo JL and **Dai WM** (2006). C–N Bond-Linked Conjugates of Dibenz[*b,f*][1,4]oxazepines with 2-Oxindole. *Synlett.* 2099–2103.
68. Xu ZW, Wang F, Tsang SY, Ho KH, Zheng H, Yuen CT, Chow CY and **Xue H** (2006). Anxiolytic-like effect of baicalin and its additivity with other anxiolytics. *Planta Medica.* 72: 189-192.
69. Xu ZW, Zheng H, Law SL, So DD, Han Y and **Xue H** (2006). Effects of a memory enhancing peptide on cognitive abilities of brain-lesioned mice: additivity with huperzine A and relative potency to tacrine. *J. Peptide Sci.* 12: 72-8.

70. Yang ZM, Liang GL, Wang L and **Xu B** (2006). Using a Kinase/Phosphatase Switch to Regulate a Supramolecular Hydrogel and Forming the Supramolecular Hydrogel in vivo. *J. Am. Chem. Soc.* 128: 3038-3043.
71. Yap YW, Whiteman M, Bay BH, Li Y, Sheu FS, **Qi RZ**, Tan CH and Cheung NS (2006). Hypochlorous acid induces apoptosis of cultured cortical neurons through activation of calpains and rupture of lysosomes. *J. Neurochem.* 98(5): 1597-1609.
72. Yeung PKK, Lam CMC, Ma ZY, **Wong YH** and **Wong JTY** (2006). Involvement of calcium mobilization from caffeine-sensitive stores in mechanically-induced cell cycle arrest in the dinoflagellate *Cryptocodinium cohnii*. *Cell Calcium.* 39: 259-274.
73. Yip ECH, Chan ASL, Pang H, Tam YK, and **Wong YH** (2006). Protocatechuic acid induces cell death in HepG2 hepatocarcinoma cells through a c-Jun N-terminal kinase-dependent mechanism. *Cell Biol. Toxicol.* 22: 293-302.
74. Yu ZL, Chen JH, Shi HF, Stoeber G, Tsang SY and **Xue H** (2006). Association of SNPs in *GABRB2* with schizophrenia in German population: application of two-base extension genotyping. *Clinical Biochem.* 39 (3): 210-218.
75. Zhang Y, Wang YQ and **Dai WM** (2006). Efficient Remote Axial-to-Central Chirality Transfer in Enantioselective SmI<sub>2</sub>-Mediated Reductive Coupling of Aldehydes with Crotonates of Atropisomeric 1-Naphthamides. *J. Org. Chem.* 71:2445-2455.
76. Zhao C, Xu Z, Chen J, Yu Z, Tong K, Lo WS, Pun F, Ng SK, Tsang SY and **Xue H** (2006). Two isoforms of GABA<sub>A</sub> receptor β<sub>2</sub> subunit with different electrophysiological properties: differential expression and genotypical correlations in schizophrenia. *Mol Psychiatry* 11:1092-1105.
77. Zhong X, Guo ZF, Yang H, Peng L, Xie Y, Wong TY, LaiST and **Guo Z** (2006). Amino terminus of the SARS coronavirus protein 3a elicited strong, potentially protective humoral responses in infected patients. *J. Gen. Virol.* 87: 369-374.